

WHERE TO USE

Drain Front is an angular pipe union in TPE for lining drains on parapets.

TECHNICAL CHARACTERISTICS

Drain Front is a 57 x 48 x 347 mm rectangular angular TPE plastic pipe union.

APPLICATION PROCEDURE

INSTALLATION OF DRAIN FRONT



1. Make a hole in the parapet and floor large enough to insert the Drain Front. Make sure it is perfectly level with the horizontal and vertical surfaces





2. Spread on an even layer of Adesilex PG4 two-component, thixotropic epoxy adhesive with a smooth spatula on the clean, dry substrate



5. Smooth over with a flat trowel and, while the product is still fresh, sprinkle on a layer of 0.5 spheroid quartz to form a rough layer to help the specified MAPEI waterproofing product form a good bond





6. Once the reticulation process of AdesilexPG4 has been completed, remove any loose quartz



3. Place Drain Front in position and press down lightly so that it is embedded in Adesilex PG4



4. Spread on a second coat of Adesilex PG4 fresh on fresh to completely cover Drain Front



7. Apply the first coat of MAPEI waterproofing product on the clean, dry fillet between the horizontal and vertical surfaces





8. Lay on Mapeband by pressing along the sides, making sure there are no creases or air bubbles






11. After applying the MAPEI waterproofing product according to the relative Technical Data Sheet, bond on the floor coating and grout the joints



9. Spread on a second layer of the specified MAPEI waterproofing product to completely cover the edges of the tape so they are sandwiched between the two layers of the cementitious mortar



10. Apply a new layer of render on the parapet, or repair the old render removed before carrying out installation in the case of old structures





12. Bond on the skirting boards and grout the vertical joints







13. Seal with Mapesil AC in correspondence with the skirting board-wall fillet joint

PACKAGING

Drain Front is available in boxes of 5 pieces.

COLOURS AVAILABLE

Drain Front is available in two colours: copper and ivory.

PRODUCT FOR PROFESSIONAL USE.

WARNING

Although the technical details and recommendations contained in this product data sheet correspond to the best of our knowledge and experience, all the above information must, in every case, be taken as merely indicative and subject to confirmation after long-term practical application: for this reason, anyone who intends to use the product must ensure beforehand that it is suitable for the envisaged application: in every case, the user alone is fully responsible for any consequences deriving from the use of the product.

Please refer to the current version of the Technical Data Sheet, available from our web site www.mapei.com

All relevant references for the product are available upon request and from www.mapei.com (GB) A.G. BETA

